




CONDITION REPORT: MTM.2010.0066.0158

REPORT CREATED: 2026-03-14 15:32:12



TECHNICAL DETAILS

NAME: Stone City Mask II
EVENT: F.U.N.I.L.
REFERENCE: MTM.2010.0066.0158
DATE: 2010
STORAGE REF: Q
TPOLOGY: mask
HEIGHT: 230 mm (0'9" in)
WIDTH: 400 mm (1'3" in)
LENGTH: 290 mm (0'11" in)
WEIGHT: 1230 g (2.71 lb)

CONTEXT

In a society where conformity is often valued over individuality, many people can feel compelled to suppress their true selves, leading them to forget their true identity. This narrative is in keeping with the works of Hieronymus Bosch, set in a grotesque and obscurantist universe.

PROPER CARE - GENERAL CONSIDERATIONS

- Objects must be shielded from direct sunlight at all times to prevent UV damage and fading.
- Maintain a stable environment; avoid exposure to high humidity or rapid moisture fluctuations.
- A strict no-touch policy is in effect for both the public and curatorial staff to prevent oil and acid transfer.
- Authorized handlers must wear appropriate archival gloves whenever contact is necessary.
- Visitors and staff are permitted to take photographs and videos for personal use only.
- The use of flash is strictly prohibited to protect light-sensitive materials.
- No captured imagery may be used to produce saleable goods, such as postcards, books, or merchandise.
- Wheels or casters attached to objects are for on-stage positioning only and are not for general transport.
- Objects must be moved using a secondary dolly or professional equipment rather than their own casters.
- No food, liquids, or smoking are permitted within the immediate vicinity of the objects.
- No cleaning agents, polishes, or dusters should be applied to the objects except by authorized conservation staff.
- Objects must be displayed on stable, level surfaces and secured against accidental tipping or vibration.
- Display areas must be monitored by staff or camera surveillance at all times during public hours.
- Any accidental contact, change in condition, or environmental spike must be reported to the lender within 24 hours.
- Maintain controlled temperatures between 18-22°C to prevent thermal damage to materials.
- Ensure adequate ventilation without direct air currents that could cause dust or environmental fluctuations.
- Conduct regular conservation inspections and document any changes in the condition of objects.
- In case of emergency, follow established evacuation and object protection protocols.